





GENERATOR SETS

ACCESSORIES AND MAINTENANCE KITS


2019



GENERATOR SETS
PETROL



GENERATOR SETS
SOUNDPROOF / WEATHERPROOF



GENERATOR SETS
OPEN



Our factory located in Muel Zaragoza with an area of 22,000 m2 is equipped with modern industrial facilities for the development of a technologically advanced production process whose manufacturing, quality control, logistics and I + D + I are completely integrated.

CAROD Industries is a Spanish company with more than 50 years producing machinery for industry, agriculture and construction. Specialized in applications of diesel and gasoline for: generators, high pressure cleaners, compressors, and motor pumps. Our philosophy is to manufacture machinery with competitive quality/price ratio, functional, economic and adapted to the needs of our customers.



Our technical service will help you to maintain a high level of productivity, carrying out the maintenance, preventive measures required, and advising you when you need it.

*The after-sales service guarantees your investment. From the telephone attention, to the displacement to your workplace with repairs and installations "insitu" always with the intention of offering and guaranteeing our repair, update or maintenance work.

*In export markets the after sales service will be handled mainly by an official distributor of Carod products.



Our technical service will help you to maintain a high level of productivity, carrying out the maintenance, preventive measures required, and advising you when you need it.

The after-sales service guarantees your investment. From the telephone attention, to the displacement to your workplace with repairs and installations "insitu" always with the intention of offering and guaranteeing our repair, update or maintenance work.

In export markets the after sales service will be handled mainly by an official distributor of Carod products.












The spare parts and logistics division will assist you in Selection of parts, or items you need to repair or equip your machines.

We can offer you from parts filters, valves, fasteners, Up Turbo chargers, or full engines if necessary.

We have a large stock of spare part originals with the maximum guarantee and reliability, organized by a modern robotic management system.

Every day thousands of machines Carod are running around the world in industry, agriculture or services, and that momentum is also one of the reasons of our success.

	www.carod.es	Web site
	carod@carod.es	Customer attention
	export@carod.es	Sales customer attention
	logistica@carod.es	Logistic service
	satcarod@carod.es	Technical service
	+34 976 140 800	Customer attention phone
	+34 976 140 888	FAX
	+34 628 153 467	Whatsapp technical service
	10-50430	Postal box



CAROD
 Polígono Industrial Pitarco II, Parc. N° 23
 50450 - Muel (Zaragoza)
 Spain



INDEX

PAGE	PRODUCT	RANGE	ENGINE	GAS	COOLING	VOLTAGE
4	PETROL GENERATORS	3.000 R.P.M	HONDA KOHLER LOMBARDINI			
5	SUMPOWER	OPEN INVERTER				
6	WELDING ENGINES	3.000 R.P.M 1.500 R.P.M	HONDA KOHLER LOMBARDINI			
7	PTO TRACTOR GENERATORS	1.500 / 3.000 R.P.M				
8	GENERATOR SETS	3.000 R.P.M 400 V	KOHLER LOMBARDINI			
9	GENERATOR SETS	3.000 R.P.M 400 V	KOHLER LOMBARDINI			
10	GENERATOR SETS	1.500 R.P.M 220 V	KOHLER LOMBARDINI DEUTZ			
11	MARINE GENERATOR SETS	1.500 R.P.M 400 V	MWM INTERNATIONAL MOTORS KOHLER LOMBARDINI			
12	GENERATOR SETS	1.500 R.P.M 400 V	KOHLER LOMBARDINI			
13	GENERATOR SETS	1.500 R.P.M 400 V	DEUTZ			
14	GENERATOR SETS	1.500 R.P.M 400 V	MWM INTERNATIONAL MOTORS			
15	GENERATOR SETS	1.500 R.P.M 400 V	DEUTZ			
16	GENERATOR SETS	1.500 R.P.M 400 V	FPT IVECO			
17	GENERATOR SETS	1.500 R.P.M 400 V	DOOSAN			
18	RENTAL GENERATOR SETS	1.500 R.P.M 400 V	FPT IVECO KOHLER LOMBARDINI			
ACCESSORIES						
20	ALTERNATORS	1.500 R.P.M				
21	ALTERNATORS	3.000 R.P.M				
22	TRAILERS					
23	TANKS					
24	ACCESSORIES (AVR, EXHAUSTS ...)					
25	ELECTRIC PANELS					
26 - 27	ALTERNADOR ACCESSORIES / CONTROL PANEL					
28	GENSETS ACCESSORIES / WELDING MACHINES ACCESSORIES					
29	MAINTENANCE KITS					





CMH-2.5 a CMH-3.5 / CMK-2.5 a MK-3



CMH-5 a CTH-8 AE / CMK-6 a CTK-8 AE



CTV - 20 AE



HONDA

3000 RPM AIR		POWER		OUTPUT Voltage	DIMENSIONS	WEIGHT	
CODE	MODEL	H.P.	Kva				
OPEN						L / W / H	KG
92111	CMH-2.5	5,5	2,2	230V SINGLEPHASE	600/400/400	34	
921110	CMH-2.5 P	5,5	2,2		600/400/400	34	
92112	CMH-3.5	6,5	3		600/400/400	39	
921115	CMH-3.5 P	6,5	3		600/400/400	39	
92113	CMH-5	9	4,1		800/500/600	50	
92114	CMH-5 AE	9	4,1		800/500/600	52	
92117	CMH-7	13	6		800/500/600	80	
92118	CMH-7 AE	13	6		800/500/600	83	
92124	CMH-12 AE	20	12		1000/700/700	143	
92130	CTH-5	9	5,5		400/230V THREE PHASE	800/500/600	50
92131	CTH-5 AE	9	5,5	800/500/600		52	
92134	CTH-8	13	7	800/500/600		80	
92135	CTH-8 AE	13	7	800/500/600		83	
92136	CTH-12 AE	20	10	1000/700/700		143	
92138	CTH-15 AE	24	15	1000/700/700		148	



KOHLER LOMBARDINI

3000 RPM AIR		POWER		OUTPUT Voltage	DIMENSIONS	WEIGHT	
CODE	MODEL	H.P.	Kva				
OPEN						L / W / H	KG
921911	CMK-2.5	6	2.2	230V SINGLEPHASE	600/400/400	35	
921912	CMK-3	7	3.5		600/400/400	40	
921915	CMK-6	9,5	4,1		800/500/600	52	
921916	CMK-6 AE	9,5	4,1		800/500/600	54	
921917	CMK-7	14	6		800/500/600	78	
921918	CMK-7 AE	14	6		800/500/600	80	
921920	CMK-10 AE	19	10		1000/700/700	140	
921922	CMK-12 AE	20	12		1000/700/700	148	
921930	CTK-5	9,5	5,5		400/230V THREE PHASE	800/500/600	50
921931	CTK-5 AE	9,5	5,5			800/500/600	52
921934	CTK-8	14	7	800/500/600		78	
921935	CTK-8 AE	14	7	800/500/600		80	
921939	CTK-10 AE	19	10	1000/700/700		140	
921941	CTK-15 AE	23	15	1000/700/700		148	
92231050	CTV-20AE	35	20		1000/700/700	185	



ACCESSORIES

CODE	OPTIONS	
823011	WHEELS 125 Ø AND LEGS KIT	
823050	SINGLE PHASE PANEL WITH DIFFERENTIAL, MAGNETOTHERMIC 2P, VOLTMETER HOURS-COUNTER, SOCKET 2P+T ET SCHUCKO SOCKET.	3 - 4.2 KVA
823051		6-10-12 KVA
823055	THREE PHASE PANEL WITH DIFFERENTIAL, MAGNETOTHERMIC 4P, VOLTMETER HOURS-COUNTER, SOCKET 3P+N+T ET SCHUCKO SOCKET	4 - 7 KVA
823057		10 - 15 KVA
82321005	AUTOMATIC MAINS FAILURE KIT WITH COMMUTATION OUT OF THE GENSET	SINGLE PHASE
82321006		3PHÁSICO
82399010	KIT ELECTRONIC REGULATION AVR 5 TO 12 KVA - 3000	SINGLE PHASE
82399015	KIT ELECTRONIC REGULATION AVR 7 TO 15 KVA - 3000	THREE PHASE



SUMPOWER



FPG - 10800 T/E



FPG - 7800 T/E



FPG - 3800



OPEN		POWER			VOLTAGE	TANK	DIMENSIONS	WEIGHT
CODE	MODEL	H.P.	kVA					
		CONT	S-BY		LITRES	L / W / H	KG	
92330405	FPG-3800	6,5	2,5	2,8	220 V	15	710/40/460	51
92330414	FPG-7800	13	5	5,5	220 V	25	800/500/560	88
92330415	FPG-7800E	13	5	5,5	220 V	25	800/500/560	96
92330419	FPG-10800	15	6,5	7	220 V	25	800/500/560	92
92330420	FPG-10800E	15	6,5	7	220 V	25	800/500/560	101
92330430	FPG-7800T	13	5	5,5	TRI 400 V	25	800/500/560	88
92330431	FPG-7800TE	13	5	5,5	TRI 400 V	25	800/500/560	96



FPG SERIE INCLUDES AVR SYSTEM AND OIL ALARM



SPG 10i



SPG 20i



SPG 32i

INVERTER		POWER			VOLTAGE	TANK	DIMENSIONS	WEIGHT
CODE	MODEL	H.P.	kVA					
		CONT	S-BY		LITRES	L / W / H	KG	
92330410	SPG 10i	1,8	0,9	1	230 V	2,1	451/330/507	16
92330411	SPG 20i	3,2	1,6	2	230 V	3,8	575/330/507	22
92330412	SPG 32i	6,6	2,8	3,2	230 V	7,4	580/440/460	38



POWER KVA:
S: SINGLE PHASE
T: TREE PHASE



HONDA

3000 RPM AIR		INTENSITY / CURRENT		ELECTRODES	POWER (KVA)	DIMENSIONS L / W / H	WEIGHT
CODE	MODEL	H.P	AMP				
92805	CSH-180	9	180 A.C.	3,25	5 S	800/500/600	68
92808	CSH-180 AE	9	180 A.C.	3,25	5 S	800/500/600	72
92810	CSH-200	13	200 A.C.	4	7 S	800/500/600	88
92815	CSH-200 AE	13	200 A.C.	4	7 S	800/500/600	90
92816	CSH-210	13	210 D.C.	4,5	5 S	800/500/600	90
92817	CSH-210 AE	13	210 D.C.	4,5	5 S	800/500/600	93
92820	CSH-220	13	220 D.C.	5	3,5 S / 6,5 T	800/500/600	94
92825	CSH-220 AE	13	220 D.C.	5	3,5 S / 6,5 T	800/500/600	97
92828	CSH-300 AE	20	300 D.C.	5	4 S / 10 T	1000/700/700	160

KOHLER LOMBARDINI

3000 RPM AIR		INTENSITY / CURRENT		ELECTRODES	POWER (KVA)	DIMENSIONS L / W / H	WEIGHT
CODE	MODEL	H.P	AMP				
928505	CSK-180	9.5	180 A.C.	3,25	5 S	800/500/600	65
928508	CSK-180 AE	9.5	180 A.C.	3,25	5 S	800/500/600	70
928510	CSK-200	14	200 A.C.	4	7 S	800/500/600	85
928515	CSK-200 AE	14	200 A.C.	4	7 S	800/500/600	88
928520	CSK-210	14	210 D.C.	4,5	5 S	800/500/600	92
928525	CSK-210 AE	14	210 D.C.	4,5	5 S	800/500/600	96
928526	CSK-220	14	220 D.C.	5	3,5 S / 6,5 T	800/500/600	95
928527	CSK-220 AE	14	220 D.C.	5	3,5 S / 6,5 T	800/500/600	98
928530	CSK-300 AE	23	300 D.C.	5	4 S / 10 T	1000/700/1000	165



1500 RPM WATER COOLED

INTENSITY / CURRENT

CODE	MODEL	INTENSITY / CURRENT		ELECTRODES	POWER (KVA)	DIMENSIONS L / W / H	WEIGHT
		H.P	AMP-CURRENT				
92905010	CSDK-280L		280 A.C.	6	3 S / 8 T	1500/750/	---
92905030	CSDK-500L		500 D.C.	6	6 S / 15 T	1500/750/	---



OPEN

92906010	CSDK-280LI		280 A.C.	6	3 S / 8 T	1900/900/	---
92907025	CSDK-500LI		500 D.C.	6	6 S / 15 T	2200/900/	---

SOUNDPROOF

92906010	CSDK-280LI		280 A.C.	6	3 S / 8 T	1900/900/	---
92907025	CSDK-500LI		500 D.C.	6	6 S / 15 T	2200/900/	---



Includes welding clamp, ground clamp, 6 meters of wire and clamp, 6 meters of wire and mask. Engines with electric start includes battery
OPTIONS PAGE 20



1500 R.P.M			OUTPUT VOLTAGE	DIMENSIONS	WEIGHT
CODE	MODEL	Kva			
				L / W / H	KG
92734	TF-16	16	220/380 3PH.	830/780/1000	164
92736	TF-20	20	220/380 3PH.	830/780/1000	202
92738	TF-30	27	220/380 3PH.	830/780/1000	212
92740	TF-40	40	220/380 3PH.	860/780/1000	390
92742	TF-50	50	220/380 3PH.	860/780/1000	395
92745	TF-60	60	220/380 3PH.	860/780/1000	395

3000 R.P.M			OUTPUT VOLTAGE	DIMENSIONS	WEIGHT
CODE	MODEL	Kva			
				L / W / H	KG
92710	CTF-16	16	220/380 3PH.	830/780/1000	120
9271205	CTF-25	25	220/380 3PH.	830/780/1000	155
92714	CTF-38	38	220/380 3PH.	860/780/1000	210



Mounted on steel chassis for fitting to the hydraulic top link of the tractor.
 With panel V + A + F + Single phase socket + three phase socket.
 Models CTF-10 and CTF-16 with single phase socket with circuit breaker

Cardan shaft is not included.

CODE	DESCRIPTION
34028	CARDAN SHAFT FROM 16 TO 23 KVA
34029	CARDAN SHAFT FROM 27 TO 40 KVA
34040	CARDAN SHAFT FROM 50 TO 60 KVA



CMLD-10 IN



CMLD-6



3000 RPM AIR COOLED

CODE	MODEL	ENGINE	Kva	DIMENSIONS	WEIGHT
OPEN SINGLEPHASE - 220V				L / W / H	KG
92601	CMLD-4	15LD350	4	800/500/600	70
92602	CMLD-4 AE	15LD350	4	800/500/600	78
92613	CMLD-6	15LD440	6	800/500/600	79
92614	CMLD-6 AE	15LD440	6	800/500/600	85
92608	CMLD-8 AE	15LD500	8	800/500/600	94
92609	CMLD-10 AE	25LD330.2	10	1000/700/730	115
92614005	CMLD-13 AE	25LD425.2	18	1000/700/730	130

SOUNDPROOF SINGLEPHASE - 220V

CODE	MODEL	ENGINE	Kva	DIMENSIONS	WEIGHT
SOUNDPROOF SINGLEPHASE - 220V				L / W / H	KG
92619005	CMLD-6 IN	15LD440 AE	6	1200/700/1000	180
92619010	CMLD-10 IN	25LD330,2 AE	10	1200/700/1000	210

KOHLER LOMBARDINI




NOT SUITABLE FOR CONTINUOUS USE



Monoblock group mounted on tubular chassis oven painted with anti-vibration shock-absorbers.
Electric panel with 2 Shucko sockets and circuit breaker.
Electric starter generator sets include battery.

ACCESSORIES

CODE	OPTIONS
823011	KIT WHEELS 125 Ø AND LEGS UP TO CMLD-6 AE
823050	SINGLE PHASE PANEL WITH MAGNETOTHERMIC DIFFERENTIAL 2P, VOLTMETER, HOURS-COUNTER, SOCKET 2P+T AND SHUCKO SOCKET
823051	
82330901	KIT PROTECTION PANEL 15LD + CONTACTOR AT LOAD CONNECTION
82330905	KIT PROTECTION PANE 25LD + CONTACTOR AT LOAD CONNECTION



CTLD-6



CTLD-19



3000 RPM AIR COOLED

CODE	MODEL	ENGINE	kVA	DIMENSIONS	WEIGHT
OPEN THREE PHASE - 400V				L / W / H	KG
92625	CTLD-7 G AE	15LD440	7	800/500/600	112
92630	CTLD-8 AE	15LD500	8	800/500/600	116
92642	CTLD-10 AE	25LD330.2	10	1000/700/700	136
92646	CTLD-12 AE	25LD425.2	12	1000/700/700	152
92646001	CTLD-15 AE	12LD477.2	15	1100/720/820	215
92647*	CTLD-19 AE	12LD477.2	18,5	1100/720/820	225
92648*	CTLD-20 AE	9LD625.2	20	1500/780/1050	330

SOUNDPROOF THREE PHASE - 400V

92651010	CTLD-7 IN	15LD440 AE	7	1200/700/1000	185
92651015	CTLD-10 IN	25LD330,2 AE	10	1200/700/1000	215

KOHLER LOMBARDINI

CTW-20



CTW-25 I



3000 RPM WATER COOLED

CODE	MODEL	ENGINE	kVA		DIMENSIONS	WEIGHT	
OPEN THREE PHASE - 400V				CONT	S-BY	L / W / H	KG
92662	CTW-15	LDW-1003	16	17	1500/780/1000	245	
92664**	CTW-20	LDW-1404	19	22	1500/780/1000	300	
92666**	CTW-25	LDW-1603	27	28	1500/780/1000	370	
SOUNDPROOF THREE PHASE - 400V							
92682	CTW-15 I	LDW-1003	16	17	1900/900/1200	550	
92684**	CTW-20 I	LDW-1404	19	20	1900/900/1200	600	
92686**	CTW-25 I	LDW-1603	27	28	1900/900/1200	630	

KOHLER LOMBARDINI



Not suitable for continuous use

* REMOTE PANEL BOARD + REMOTE CONTROL INPUT

*Automatic voltage regulation AVR



1500 RPM AIR COOLED

CODE	MODEL	ENGINE	Kva	DIMENSIONS	WEIGHT
OPEN SINGLEPHASE - 220V				L / W / H	KG
92954	CMLD-7 L	4LD820	6	1000/600/1150	250
92956	CMLD-10 L	9LD625.2	9	1500/780/1150	320
92958*	CMLD-16 L	11LD626.3	16	1500/780/1150	430



INCLUDING: KIT ENGINE
PROTECTION AND START / STOP BY
SIMPLE PUSH CONTACT.



1500 RPM WATER COOLED

CODE	MODEL	ENGINE	Kva	DIMENSIONS	WEIGHT
OPEN SINGLEPHASE - 220V				L / W / H	KG
92982	CMK-7 L	KDI-1003	7	1500/780/1250	246
92984	CMK-10 L	KDI-1404	9	1500/780/1250	326
929861*	CMK-16 L	KDI-1903	16	1500/780/1250	395
929865*	CMK-20 L	KDI-1903	20	1500/780/1250	425
929868*	CMK-25 L	KDI-2504	25	1500/780/1250	450
9298681*	CMK-30 L	KDI-2504 TM	30	1800/780/1300	600
92986910*	CMK-40 L	KDI-2504 TM	37	1800/780/1300	625

SOUNDPROOF. SINGLEPHASE - 220V

92992	CMK-7 LI	KDI-1003	7	1900/900/1210	530
92994	CMK-10 LI	KDI-1404	9	1900/900/1210	636
929961*	CMK-16 LI	KDI-1903	16	1900/900/1210	712
929965*	CMK-20 LI	KDI-1903	20	1900/900/1210	735
929968*	CMK-25 LI	KDI-2504	25	1900/900/1210	741
9299681*	CMK-30 LI	KDI-2504 TM	30	2200/900/1225	910
929969*	CMK-40 LI	KDI-2504 TM	37	2200/900/1225	925

1500 RPM AIR COOLED

CODE	MODEL	ENGINE	Kva	DIMENSIONS	WEIGHT
OPEN SINGLEPHASE - 220V				L / W / H	KG
92958010*	CMD-13 L	F2L2011	13	1500/780/1254	305
92958014*	CMD-20 L	F3L2011	20	1500/780/1254	410
92958016*	CMD-30 L	F4L2011	30	1500/780/1254	590

1500 RPM OIL COOLED

OPEN SINGLEPHASE - 220V

92958030*	CMDM-13 L	F2M2011	13	1500/780/1254	305
92958034*	CMDM-20 L	F3M2011	20	1500/780/1254	415
92958036*	CMDM-30 L	F4M2011	30	1500/780/1254	600
92958038	CMDM-40 L	BF4M2011	40	1800/780/1254	680

SOUNDPROOF SINGLEPHASE - 220V

92998010*	CMDM-13 LI	F2M2011	13	1900/900/1200	405
92998014*	CMDM-20 LI	F3M2011	20	1900/900/1200	510
92998016*	CMDM-30 LI	F4M2011	30	1900/900/1210	685




KOHLER LOMBARDINI



DEUTZ

Automatic voltage regulation AVR



1500 RPM WATER COOLED

CODE	MODEL	ENGINE	kVA
MARINE GENERATOR SETS THREE PHASE - 400V			CONT
925823	CTW-10 M	LOMBARDINI LDW 1404	10
925826	CTW-14 M	LOMBARDINI LDW 1603	14
925830	CTW-20 M	LOMBARDINI 1903	20
925843	CTM-30 M	MWM D-229.3	30
925846	CTM-40 M	MWM D-229.4	40
925849	CTM-60 M	MWM D-229.6	60
925852	CTM-85 M	MWM TD-229.6	85



Monoblock genset mounted on steel chassis with anti-vibration shock absorbers, control panel with engine protection.
 Control remote for reading values to engine and alternator.
 Without: tank and power installation.
 Marinized alternator. Marinized alternator.





CTK-20 L

ACCESSORIES

CODE	OPTIONS
82177	ANALOGIC CLOCK MOUNTED
82176	DIGITAL COLOCK MOUNTED



LOMBARDINI
KOHLER

1500 RPM AIR COOLED					DIMENSIONS	WEIGHT	MANUAL START PANEL	AMF + ATS SEPARATED
CODE	MODEL	ENGINE	kVA		L / W / H	KG	EUR	EUR
OPEN THREE PHASE - 400V								
			CONT	S-BY				
92512	CTLD-7 L	4LD820 L	6	6,5	1500/780/1050	252	3.960	4.375
92518	CTLD-11 L	9LD625.2 L	10	11	1500/780/1050	322	4.856	5.380
92522	CTLD-16 L	11LD626.3 L	15	16	1500/780/1050	430	6.776	7.195

WEATHERPROOF THREE PHASE - 400V					DIMENSIONS	WEIGHT	MANUAL START PANEL	AMF + ATS SEPARATED
CODE	MODEL	ENGINE	kVA		L / W / H	KG	EUR	EUR
92518CPT01	CTLD-11 L	9LD625,2	10	11	1500/780/1100	416	5.600	6.005
92522CPT01	CTLD-16 L	11LD626,3	15	16	1500/780/1100	535	7.561	7.990

1500 RPM WATER COOLED					DIMENSIONS	WEIGHT
CODE	MODEL	ENGINE	kVA		L / W / H	KG
OPEN THREE PHASE - 400V						
			CONT	S-BY		
92565	CTW-8 L	LDW-1003	7	8	1500/780/1300	275
92568	CTW-11 L	LDW-1404	11	14	1500/780/1300	325
925701	CTK-16 L	KDI-1903	15	16	1500/780/1300	370
92575	CTK-20 L	KDI-1903	19	20	1500/780/1300	460
92577*	CTK-28 L	KDI-2504	25	28	1500/780/1300	520
925772*	CTK-32L	KDI-2504-T3	30	32	1800/780/1400	530
925773*	CTK-40 L	KDI-2504 TM	40	44	1800/780/1400	695
925780*	CTK-60 L	KDI-3404 TM	60	62	1800/830/1400	890

WEATHERPROOF THREE PHASE - 400V					DIMENSIONS	WEIGHT
CODE	MODEL	ENGINE	kVA		L / W / H	KG
92565CPT01	CTW-8 L	LDW-1003	7	8	1500/780/1100	
92568CPT01	CTW-11 L	LDW-1404	11	14	1500/780/1100	625
925701CPT01	CTK-16 L	KDI-1903	15	16	1500/780/1100	670
92575CPT01	CTK-20 L	KDI-1903	19	20	1500/780/1100	760
92577CPT01*	CTK-28 L	KDI-2504	25	28	1500/780/1100	820
925772CPT01*	CTK-32 L	KDI-2504-T3	30	32	1500/780/1100	830

SOUNDPROOF THREE PHASE - 400V					DIMENSIONS	WEIGHT
CODE	MODEL	ENGINE	kVA		L / W / H	KG
92692	CTW-8 LI	LDW-1003	7	8	1900/900/1210	550
92694	CTW-11 LI	LDW-1404	11	14	1900/900/1210	600
9269601	CTK-16 LI	KDI-1903	15	16	1900/900/1210	675
92698	CTK-20 LI	KDI-1903	19	20	1900/900/1210	750
92699*	CTK-28 LI	KDI-2504	25	28	1900/900/1210	815
926992*	CTK-32 LI	KDI-2504-T3	30	32	2200/900/1295	885
926993*	CTK-40 LI	KDI-2504 TM	40	44	2200/900/1295	975
927005*	CTK-60 LI	KDI-3404 TM	60	62	2500/900/1550	1270

Automatic voltage regulation AVR

INCLUDING: KIT ENGINE PROTECTION AND START / STOP BY SIMPLE PUSH CONTACT.



LOMBARDINI
KOHLER






 **AA: AIR OIL COOLED**



 **A: AIR COOLED**



 **AO: OIL COOLED**

1500 RPM AO/AA/AA COOLED



CODE	MODEL	ENGINE	COOL.	kVA		DIMENSIONS L / W / H	WEIGHT KG
				CONT	S-BY		
OPEN TRIGASICO - 400V							
92327030	CTDM-14 L	F2M2011	AO	12,5	13	1500/780/1450	290
92327005	CTD-14 L	F2L2011	AA	12,5	13	1500/780/1450	280
92327034	CTDM-20 L	F3M2011	AO	20	22	1500/780/1450	520
92327008	CTD-22 L	F3L2011	AA	20	22	1500/780/1450	385
92327038*	CTDM-30 L	F4M2011	AO	30	32	1500/780/1450	545
92327010*	CTD-32 L	F4L2011	AA	30	32	1500/780/1450	530
92326810*	CTDF-30 L	F3L912	A	30	32	1800/780/1500	595
92327040*	CTDM-42 L	BF4M2011	AO	40	42	1500/780/1450	695
92327012*	CTD-42 L	BF4L2011	AA	40	42	1500/780/1450	595
92326812*	CTDF-40 L	F4L912	A	40	41	1800/780/1500	670
92327014*	CTDM-66 L	BF4M2011 C	AO	59	66	1800/780/1500	880
92326814*	CTDF-60 L	F6L912	A	62	62	2200/830/1200	950

WEATHERPROOF THREE PHASE - 440V

92327030CPT01	CTDM-14 L	F2M2011	AO	12,5	13	1500/780/1100	514
92327005CPT01	CTD-14 L	F2L2011	AA	12,5	13	1500/780/1100	380
92327034CPT01	CTDM-20 L	F3M2011	AO	20	22	1500/780/1100	990
92327008CPT01	CTD-20 L	F3L2011	AA	20	22	1500/780/1100	460
92327038CPT01*	CTDM-30 L	F4M2011	AO	30	32	1500/780/1100	1135
92327010CPT01*	CTD-30 L	F4L2011	AA	30	32	1500/780/1100	620

SOUNDPROOF THREE PHASE - 400V

92328406	CTDM-14 LI	F2M2011	AO	12,5	13	1900/900/1200	600
92328408	CTDM-20 LI	F3M2011	AO	20	22	1900/900/1200	990
92328410*	CTDM-30 LI	F4M2011	AO	30	32	1900/900/1200	1135
92328412*	CTDM-40 LI	BF4M2011	AO	40	42	2200/900/1295	1420
92328414*	CTDM-66 LI	BF4M2011C	AO	62	66	2200/900/1295	1480



Automatic voltage regulation AVR



MAXXFORCE



1500 RPM WATER COOLED

CODE	MODEL	ENGINE	kVA		DIMENSIONS L / W / H	WEIGHT KG
			CONT	S-BY		
OPEN THREE PHASE - 400V						
92914150	CTM-70 L	4,8 - T 1A	63	70	2200/830/1700	1010
92914155	CTM-80 L	4,8 - T 2A	73	80	2200/830/1700	1110
9291720	CTM-95 L	4,8-TCA 1B	82	92	2200/830/1700	1220
9291726	CTM-110 L	4,8-TCA 1C	105	115	2200/830/1700	1290
92916020	CTM-125 L	4.12 TCA	115	125	2200/830/1800	1325
9291901	CTM-140 L	7,2-TCA 1A	130	143	2600/995/1800	1390
929202	CTM-155 L	7,2-TCA 2A	140	155	2600/995/1800	1490
929204	CTM-165 L	7,2-TCA 1B	150	165	2600/995/1800	1525
929210	CTM-176 L	7,2-TCA 1C	160	176	2600/995/1800	1595
929212	CTM-188 L	7,2-TCA 2C	170	188	2600/995/1800	1685
92921505	CTM-200 L	7,2-TCA 1D	180	200	2600/995/1800	1729
929217	CTM-220 L	7,2-TCA 1E	200	220	2600/995/1800	2150



1500 RPM WATER COOLED

CODE	MODEL	ENGINE	kVA		DIMENSIONS L / W / H	WEIGHT KG
			CONT	S-BY		
SOUNDPROOF THREE PHASE - 400V						
92934050	CTM-70 LI	4,8 - T 1A	63	70	2750/1180/1655	1360
92935050	CTM-80 LI	4,8 - T 2A	73	80	2750/1180/1655	1470
92936050	CTM-95 LI	4,8-TCA 1B	82	92	2750/1180/1655	1490
92937050	CTM-110 LI	4,8-TCA 1C	105	115	2750/1180/1655	2094
92938015	CTM-125 LI	4.12 TCA	115	125	2750/1180/1655	2.125
92940100	CTM-140 LI	7,2-TCA 1A	130	143	3250/1180/1850	2220
92940200	CTM-155 LI	7,2-TCA 2A	140	155	3250/1180/1850	2310
92940205	CTM-165 LI	7,2-TCA 1B	150	165	3250/1180/1850	2410
92941000	CTM-176 LI	7,2-TCA 1C	160	176	3250/1180/1850	2410
92941395	CTM-188 LI	7,2-TCA 2C	170	188	3250/1180/1850	2525
92941400	CTM-200 LI	7,2-TCA 1D	180	200	3250/1180/1850	3040
92941515	CTM-220 LI	7,2-TCA 1E	200	220	3250/1180/1850	3060



1500 RPM WATER COOLED

CODE	MODEL	ENGINE	kVA		DIMENSIONS L / W / H	WEIGHT KG
			CONT	S-BY		
OPEN THREE PHASE - 400V						
92327516	CTDW-80 L	BF4M2012 C	72	80	2200/830/1700	1250
92327522	CTDW-110 L	BF4M1013 ECG	100	110	2200/830/1700	1340
92327528	CTDW-145 L	BF4M1013 FC	130	145	2600/990/1700	1475
92327532	CTDW-165 L	BF6M1013 EC	150	165	2600/995/1700	1640
92327533	CTDW-200 L	BF6M1013 FCP	180	198	2600/995/1700	1700
92327534	CTDW-220 L	BF6M1013FCP2	200	220	2600/995/1700	1750
92327536	CTDW-275 L	TCD2013LO64V	250	275	2950/930/2000	2250
92327540	CTDW-330 L	BF6M1015 C	314	350	3000/1300/2200	2980
92327542	CTDW-385 L	BF6M1015 C2	350	390	3000/1300/2200	3100
92327543	CTDW-415 L	BF6M1015 CP	370	411	3000/1300/2200	3300
92327545	CTDW-475 L	BF8M1015 C	430	475	3000/1300/2200	3750
92327548	CTDW-500 L	BF8M1015 C2	450	500	3000/1300/2200	3860
92327550	CTDW-550 L	BF8M1015 CP	495	550	3000/1300/2200	4100



1500 RPM WATER COOLED

CODE	MODEL	ENGINE	kVA		DIMENSIONS L / W / H	WEIGHT KG
			CONT	S-BY		
SOUNDPROOF THREE PHASE - 400V						
92328415	CTDW-80 LI	BF4M2012 C	72	80	2500/990/1550	1505
92328422	CTDW-110 LI	BF4M1013 ECG	100	110	2750/1100/1655	1650
92328428	CTDW-145 LI	BF4M1013 FC	130	145	3250/1180/1850	2150
92328432	CTDW-165 LI	BF6M1013 EC	150	165	3250/1180/1850	2375
92328433	CTDW-200 LI	BF6M1013 FCP	180	198	3250/1180/1850	2675
92328434	CTDW-220 LI	BF6M1013FCP2	200	220	3250/1180/1850	3150
92328436	CTDW-275 LI	TCD2013LO64V	250	275	3600/1400/1800	3360
92328440	CTDW-330 LI	BF6M1015 C	314	350	4150/1550/2100	4400
92328442	CTDW-385 LI	BF6M1015 C2	350	390	4150/1550/2100	4600
92328443	CTDW-415 LI	BF6M1015 CP	370	411	4150/1550/2100	4650
92328445	CTDW-475 LI	BF8M1015 C	430	475	4150/1550/2100	5975
92328448	CTDW-500 LI	BF8M1015 C2	450	500	4150/1550/2100	6200
92328450	CTDW-550 LI	BF8M1015 CP	495	550	4150/1550/2100	6450



1500 RPM WATER COOLED

CÓDIGO	MODEL	ENGINE	kVA		DIMENSIONS L / W / H	WEIGHT KG
			CONT	S-BY		
OPEN THREE PHASE - 400V						
923785	CTI-30 NE L	S 8000 AM1	30	33	1800/700/1340	690
923789	CTI-45 L	N45AM1A	42	45	1800/700/1340	792
923793	CTI-55 NE L	N45AM2	50	55	1900/700/1480	920
923794	CTI-66 L	N45SM1A	63	66	1900/700/1480	980
923796	CTI-87 NE L	N45SM3	80	87	1900/700/1480	1150
92379605	CTI-90 NE L	N45SM3	85	90	1900/700/1480	1270
923802	CTI-110 L	N45TM2A	100	110	1900/800/1480	1270
92380201	CTI-110 NE L	N45TM3	105	116	1900/800/1480	1270
92380210	CTI-133 NE L	N45TM3	120	130	1900/800/1480	1300
923804	CTI-143 L	N67TM2A	130	143	2600/995/1480	1390
923806	CTI-176 L	N67TM3A	160	175	2600/995/1480	1490
9238063	CTI-175 NE L	N67TM4	160	175	2600/995/1480	1490
92380605	CTI-187 NE L	N67TM4	180	187	2600/995/1480	1580
9238102	CTI-220 NE L	N67TM7	200	220	2700/1100/1800	1890
92381005	CTI-277 NE L	N67TE8P	250	275	2700/1100/1800	1850
92381605	CTI-330 NE L	C87TE4	300	330	2700/1100/1800	2500
923825	CTI-370 L	C13TE2	350	370	3000/1300/2000	2825
923830	CTI-440 L	C13TE3A	400	440	3000/1300/2000	2990
92383003	CTI-500 NE L	C13TE6W	450	500	3000/1300/2000	3100
92383005	CTI-550 NE L	C13TE7W	500	550	3000/1300/2000	3350
92383012	CTI-620 NE L	C16TE1W	600	620	3000/1300/2000	3650



SOUNDPROOF THREE PHASE - 400V

CÓDIGO	MODEL	ENGINE	kVA		DIMENSIONS L / W / H	WEIGHT KG
			CONT	S-BY		
923903	CTI-30 NE LI	S 8000 AM1	30	33	2200/900/1200	1210
923911	CTI-45 LI	N45AM1A	42	45	2200/900/1200	1270
923916	CTI-55 NE LI	N45AM2	50	55	2500/990/1550	1270
923920	CTI-66 LI	N45SM1A	63	66	2500/990/1550	1356
923930	CTI-87 NE LI	N45SM3	80	87	2750/1100/1655	1480
92393002	CTI-90 NE LI	N45SM3	85	90	2750/1100/1655	1500
923935	CTI-110 LI	N45TM2A	100	110	2750/1100/1655	2080
923934	CTI-110 NE LI	N45TM3	105	116	3250/1180/1755	2080
923936	CTI-133 NE LI	N45TM3	120	130	3250/1180/1755	2150
923940	CTI-143 LI	N67TM2A	130	143	3250/1180/1755	2210
923945	CTI-176 LI	N67TM3A	160	175	3250/1180/1755	2300
92394502	CTI-175 NE LI	N67TM4	160	175	3250/1180/1755	2300
92394505	CTI-187 NE LI	N67TM4	180	187	3250/1180/1755	2450
92395005	CTI-220 NE LI	N67TM7	200	220	3250/1180/1755	3010
92395011	CTI-277 NE LI	N67TE8P	250	275	3600/1400/1800	3100
92395505	CTI-330 NE LI	C87TE4	300	330	4150/1550/2100	4100
923970	CTI-370 LI	C13TE2	350	370	4150/1550/2100	4250
923975	CTI-440 LI	C13TE3A	400	440	4150/1550/2100	4400
92397503	CTI-500 NE LI	C13TE6W	450	500	4150/1550/2100	4475
92397505	CTI-550 NE LI	C13TE7W	500	550	4150/1550/2100	4825
92397512	CTI-620 NE LI	C16TE1W	600	620	4500/1800/2300	5450



1500 RPM WATER COOLED

CÓDIGO	MODEL	ENGINE	kVA		DIMENSIONS	WEIGHT
			CONT	S-BY		
OPEN THREE PHASE - 400V						
92480025	CTDO-175 L	DP 086 TA	150	175	2600/995/1650	1700
92480030	CTDO-220 L	P-086 TI	200	220	2950/930/1650	1900
92480032	CTDO-250 L	DP-086 LA	225	250	2950/930/1650	2300
92480035	CTDO-330 L	P-126 T1-2	300	330	2940/1200/1900	2675
92480040	CTDO-358 L	DP-126 LA	325	358	2940/1200/1900	2990
92480045	CTDO-406 L	DP-126 LB	365	406	3200/1080/2110	3100
92480050	CTDO-470 L	P-158 LE	408	468	3200/1080/2110	3225
92480055	CTDO-510 L	DP-158 LCF	461	509	3200/1080/2110	3350
92480060	CTDO-580 L	DP-158 LDF	526	580	3200/1080/2110	3500
92480065	CTDO-630 L	DP-180 LAF	571	630	3200/1080/2110	3750
92480070	CTDO-700 L	DP-180 LBF	635	700	3600/1410/2370	3950
92480075	CTDO-750 L	DP-222 LBF	680	750	3600/1410/2370	4500
92480080	CTDO-820 L	DP-222 LCF	744	821	3600/1410/2370	4750

1500 RPM WATER COOLED

CÓDIGO	MODEL	ENGINE	kVA		DIMENSIONS	WEIGHT
			CONT	S-BY		
SOUNDPROOF THREE PHASE - 400V						
92480125	CTDO-175 LI	DP 086 TA	150	175	3250/1180/1755	2500
92480130	CTDO-220 LI	P-086 TI	200	220	3250/1180/1755	3150
92480132	CTDO-250 LI	DP-086 LA	225	250	3600/1400/1800	3500
92480135	CTDO-330 LI	P-126 T1-2	300	330	4150/1550/2100	4000
92480140	CTDO-358 LI	DP-126 LA	325	358	4150/1550/2100	4500
92480145	CTDO-406 LI	DP-126 LB	365	406	4150/1550/2100	4750
92480150	CTDO-470 LI	P-158 LE	408	468	4500/1800/2300	4850
92480155	CTDO-510 LI	DP-158 LCF	461	509	4500/1800/2300	5000
92480160	CTDO-580 LI	DP-158 LDF	526	580	4500/1800/2300	5200
92480165	CTDO-630 LI	DP-180 LAF	571	630	4500/1800/2300	6100
92480170	CTDO-700 LI	DP-180 LBF	635	700	4500/1800/2300	6200
92480175	CTDO-750 LI	DP-222 LBF	680	750	5000/2050/2445	6200
92480180	CTDO-820 LI	DP-222 LCF	744	821	5000/2050/2445	6750



CAROD



40

100

200

KVA

200 kVA

40 kVA

MORE ROBUST RELIABLE PROFITABLE

RENTAL RANGE



SOUNDPROOF BODYWORK
With rock wool acoustic insulation ensuring low levels of sound and heat emission protection.



OVERDIMENSIONED SKID
Robust that protects the genset during its transport and operation and allows its lifting or towing.



KOHLER / IVECO ENGINES
High performance and **easy maintenance**, reliable and robust engines, which comply with **STAGE IIIA** regulations.



BIG MAIN TANK
Deposit of 167 liters and connection valve with auxiliary tank.

OIL DRAIN PUMP
COOLING WRENCH OF REFRIGERANT LIQUID



OTHER FEATURES:
BATTERY DISCONNECTOR
LIQUID RETENTION TRAY 110%



CONTROL PANEL
Protected against knocks or unwanted access with a locked door.
Document holder on the door and large monitoring window.



CONTROL CARD
Electronic control of the group, with hour programmer and protected against unwanted access.



BROAD ACCESS
Large access door to facilitate maintenance and control operations.
Protected by key.



SOCKETS
Three-phase and single-phase IP67 sockets that are easily accessible and protected by an individual magneto-thermal switch in a reinforced cabinet.



OTHER FEATURES:
ELEVATION HOOK
PHOSPHATED HIGHLY RESISTANT PAINT

POWERED BY



GENERATOR SETS

Larod

ACCESSORIES
AND MAINTENANCE KITS





CODE	MODEL	kVA	BRAND	COUPLING
THREE PHASE 400V - 50HZ - AVR				
82080712	ECP3-1L/4	11	MECCALTE	SAE-5 6,5"
82080716	ECP-3-2L/4	13,5	MECCALTE	SAE-4 7,5"
82080721	ECP3-3L/4	15	MECCALTE	SAE-4 7,5"
820462920	E1X13M F/4	16	LINZ	SAE-4 7,5"
820843	ECP-28/S4	17	MECCALTE	SAE-4 7,5"
820845	ECP28-M4	20	MECCALTE	SAE-4 7,5"
82026465	SK160MB	20	SINCRO	SAE-4 7,5"
82026566	SK160MB	20	SINCRO	SAE-3 11,5"
820462985	SLT18 MD	20	LINZ	SAE-4 7,5"
8210050230	TAL040F	20	LEROY SOMER	SAE-4 7,5"
8210050231	TAL040F	20	LEROY SOMER	SAE-3 11,5"
820870	ECP-28-2L4	25	MECCALTE	SAE-3 11,5"
820463007	PRO18 B/4	25	LINZ	SAE-4 7,5"
820871	ECP28-VL4	30	MECCALTE	SAE-3 11,5"
82026473	SK160LB	30	SINCRO	SAE-4 7,5"
82026474	SK160LB	30	SINCRO	SAE-3 11,5"
820463010	PRO18 C/4	30	LINZ	SAE-3 11,5"
8210050245	TAL042C	32	LEROY SOMER	SAE-4 7,5"
8210050246	TAL042C	32	LEROY SOMER	SAE-3 11,5"
820874	ECP-32-2S4	35	MECCALTE	SAE-3 11,5"
820463015	PRO18 D/4	35	LINZ	SAE-3 11,5"
82026481	SK160WB	40	SINCRO	SAE-3 11,5"
8210050255	TAL042E	40	LEROY SOMER	SAE-3 11,5"
82088	ECP32-3S4	42,5	MECCALTE	SAE-3 11,5"
8208802	ECP32-3S4	42,5	MECCALTE	E.LIBRE
820463020	PRO18M E/4	42	LINZ	SAE-3 11,5"
82089	ECP32-1M4	50	MECCALTE	SAE-3 11,5"
82026518	IB4LA	50	SINCRO	SAE-3 11,5"
820463024	PRO18L F/4	50	LINZ	SAE-3 11,5"
820463050	PRO18L G/4	60	LINZ	SAE-3 11,5"
8210050270	TAL042H	60	LEROY SOMER	SAE-3 11,5"
820895	ECP32-2M4	63	MECCALTE	SAE-3 11,5"
82089501	ECP32-2M4	63	MECCALTE	E.LIBRE
820896	ECP32-3L4	75	MECCALTE	SAE-3 11,5"
82089610	ECP32-4L4	80	MECCALTE	SAE-3 11,5"
8210050280	TAL044B	80	LEROY SOMER	SAE-3 11,5"
820898	ECP34-1S4	85	MECCALTE	SAE-3 11,5"
820463080	PRO22S D/4	100	LINZ	SAE-3 11,5"
820900	ECP-34-2S4	105	MECCALTE	SAE-3 11,5"
8210050290	TAL044D	100	LEROY SOMER	SAE-3 11,5"

CODE	MODEL	kVA	BRAND	COUPLING
THREE PHASE 400V - 50Hz - COMPOUND				
82026005	FT-4MAS	7	SINCRO	CONO30
82060710	BTP3-2S/4	9	MECCALTE	SAE-4 7,5"
820462010	E1S13SB/4	10	LINZ	SAE-4 7,5"
82060713	BTP3-1L/4	11	MECCALTE	SAE-4 7,5"
82026011	FT-4MCS	11	SINCRO	SAE-4 7,5"
82060718	BTP3-2L/4	13	MECCALTE	SAE-4 7,5"
82060719	BTP3-2L/4	13	MECCALTE	SAE-3 11,5"
82026018	FT-4MDS	13	SINCRO	SAE-5 6" 1/2
82026017	FT-4MDS	13	SINCRO	SAE-4 7,5"
82026019	FT-4MDS	13	SINCRO	SAE-3 11,5"
82060723	BTP3-3L/4	15	MECCALTE	SAE-4 7,5"
820462027	E1S13ME/4	16	LINZ	E. LIBRE
820462025	E1S13ME/4	16	LINZ	SAE-4 7,5"
820462033	E1S13MF/4	20	LINZ	E. LIBRE
820462030	E1S13MF/4	20	LINZ	SAE-4 7,5"
820462032	E1S13MF/4	20	LINZ	SAE-3 11,5"

CODE	MODEL	kVA	BRAND	COUPLING
SINGLEPHASE 230V - 50Hz - CONDENSATOR				
82025513	FK-4MCS	7	SINCRO	CONO 30
820461525	E1C13SD/4	9	LINZ	SAE-4 7,5"
820461524	E1C13SD/4	9	LINZ	SAE-5 6,5"

CODE	TRANSFORMATION KIT
SINCRO ACCESORIE	
82040501	FT / F4 SERIES FOR FREE AXLE



CODE	MODEL	kVA	BRAND	COUPLING
SINGLEPHASE 230V - 50Hz - CONDENSATOR				
82050208	S15W-85/A	2,4	MECCALTE	J609b 19,05
82020320	ER-2SCH	2,6	SINCRO	E. LIBRE
82050308	S16W-90/A	3,5	MECCALTE	J609b 19,05
82050315	S16W-105/A	4,1	MECCALTE	J609b 25,4
82050317	S16W-105/A	4,1	MECCALTE	CONO 23
82020402	EP-2-95L	4,2	SINCRO	J609b 25,4
82050318	S16W-130/A	5	MECCALTE	J609b 25,4
82050340	S16F-150/A	5,5	MECCALTE	J609b 25,4
82050342	S16F-150/A	5,5	MECCALTE	EJE LIBRE
82050405	S20W-95/A	6	MECCALTE	J609b 25,4
82050407	S20W-95/A	6	MECCALTE	CONO 23
82020508	EK-2MCT	6	SINCRO	J609b 25,4
82050345	S16F-180/A	6,5	MECCALTE	J609b 25,4
82050348	S16F-180/A	6,5	MECCALTE	EJE LIBRE
82050410	S20W-110/A	7	MECCALTE	J609b 25,4
82050413	S20W-130/A	8,5	MECCALTE	J609b 25,4
82050414	S20W-130/A	8,5	MECCALTE	CONO 23
82050428	S20FS-160/A	10	MECCALTE	J609b 35
82050429	S20FS-160/A	10	MECCALTE	CONO 30
82020750	FK-2MES	10	SINCRO	J609b 35
82020751	FK-2MES	10	SINCRO	CONO 30
82050431	S20F-200/A	12	MECCALTE	J609b 35
82020756	FK-2MFS	12	SINCRO	J609b 35
82020757	FK-2MFS	12	SINCRO	CONE 30

CODE	MODEL	kVA	BRAND	COUPLING
SINGLEPHASE 230V - 50Hz - AVR				
82027023	EKR-2	4,8	SINCRO	J609b 25,4
82050450	ES16F-160/A	5,9	MECCALTE	J609b 25,4
82027042	EKR-2LAA	6	SINCRO	J609b 25,4
82050455	ES20FS-130/A	8,5	MECCALTE	J609b 35
820461221	E1E11MB	10	LINZ	J609-c35
820461224	E1E13SC	13	LINZ	J609b c35 146

CODE	TRANSFORMATION KIT
ACCESSORIES	
82040301	SERIE ET-EK EJE LIBRE
82128	SERIE ET-EK FROM J609B TO CONE23
82040302	

CODE	MODEL	kVA	BRAND	COUPLING
THREE PHASE 400V - 50Hz - COMPOUND				
82022009	ET-2MBS	5,5	SINCRO	J609b 25,4
82060405	T16F-130/A	6	MECCALTE	J609B 19,05
82060406	T16F-130/A	6	MECCALTE	CONO 23
82022012	ET-2MCS	7	SINCRO	J609b 25,4
82022013	ET-2MCS	7	SINCRO	CONO 23
820222031	ET-2 Refor	7 T 4 M	SINCRO	J609b 25,4
82060408	T16F-160/A	7,5	MECCALTE	J609B 19,05
82060409	T16F-160/A	7,5	MECCALTE	CONO 23
82060420	T20FS-130/A	10	MECCALTE	J609b 35
82060421	T20FS-130/A	10	MECCALTE	CONO 30
82022019	ET-2LBS	10	SINCRO	J609b 25,4
82022020	ET-2LBS	10	SINCRO	CONO 30
82022110	FT-2MZS	12	SINCRO	J609b 35
82060425	T20FS-160/A	12,5	MECCALTE	J609b 35
82060426	T20FS-160/A	12,5	MECCALTE	CONO 30
82060430	T20F-200/A	15	MECCALTE	J609b 35
82060431	T20F-200/A	15	MECCALTE	SAE-5 6" 1/2
82060432	T20F-200/A	15	MECCALTE	CONO 30
820461252	E1S13MD/2	22	LINZ	C,35-C
82022234	GT-2	38	SINCRO	E. LIBRE

CODE	MODEL	kVA	BRAND	COUPLING
THREE PHASE 400V - 50Hz - AVR				
82060435	ET16F-130/A	5,5	SINCRO	J609b 25,4
82027212	ET-2R	5,5	SINCRO	J609a 25,4
82060437	ET16F-160/A	6,5	MECCALTE	J609b 25,4
82027213	ET-2R	7	SINCRO	J609a 25,4
82060440	ET20FS-130/A	9	MECCALTE	J609b 35
82060450	ET20F-200/A	13,5	MECCALTE	J609b 35

CODE	MODEL	kVA	BRAND	COUPLING
WELDING MACHINES				
82025009	EW-180ca	5M	SINCRO	J609b 25,4
82025014	EW-200ca	7M	SINCRO	J609b 25,4
82025038	EW-220cc	5M	SINCRO	J609b 25,4
82025041	EW-220cc	6,5T 3,5M	SINCRO	J609B 35

CODE	kVA	MODEL
KIT MOBILE NOT STANDARIZED		
823411	8	RNH-010
823411	10	RNH-010
823411	13	RNH-010
823411	16	RNH-010
823411	20	RNH-010
823411	28	RNH-010
823415	30-35	RNH-010
823415	40-45	RNH-020
823415	50-55	RNH-020
823435	60-65	RNH-030
823440	70-75	RNH-040
823440	80-85	RNH-040
823440	90-95	RNH-040
823440	100-115	RNH-040
823443	120-220	RNH-050



PARKING BREAK
JOCKEY WHEEL
RING HITCH



CODE	kVA	MODEL
KIT MOBILE STANDARIZED 1 AXIS		
82344805	8	RH - 0660
82344805	10	RH - 0660
82344815	13	RH - 1050
82344815	16	RH - 1050
82344815	20	RH - 1050
82344815	28	RH - 1050
82344825	30-35	RH - 1200
82344835	40-45	RH - 1500
82344835	50-55	RH - 1500
82344835	60-65	RH - 1500
82344845	70-75	RH - 2100
82344845	80-85	RH - 2100
82344845	90-95	RH - 2100

CODE	kVA	MODEL
KIT MOBILE STANDARIZED 2 AXIS		
82344935	30-35	RH02 - 1660
82344935	40-45	RH02 - 1660
82344935	50-55	RH02 - 1660
82344945	60-65	RH02 - 2080
82344945	70-75	RH02 - 2080
82344945	80-85	RH02 - 2080
82344945	90-95	RH02 - 2080
82344945	100-115	RH02 - 2080
82344950	120-220	RH02 - 2900



BALL HITCH
SUSPENSION FOR TORSION BAR
JOCKEY WHEEL
REAR ADJUSTABLE LEGS
BRAKE INERTIA AND SEASON
DO NOT INCLUDE REPLACEMENT WHEEL



CODE	WEATHERPROOF	DIMENSIONS	LITERS
FUEL TANK - AUTONOMY 24 H			
28,2,193,008,00	CARG - 193	1500/780/1100	250
28,2,193,009,00			500



High capacity
24 Hours Autonomy



High capacity
24 Hours Autonomy

CODE	BODYWORK	DIMENSIONS	LITERS
FUEL TANK - AUTONOMY 24H			
28,2,203,008,00	CARG - 203	1750/900/1225	225
28,2,206,008,00	CARG - 210	1900/900/1200	250
28,2,210,008,00	CARG-206	2200/900/1295	350
28,2,222,008,00	CARG-221	2500/990/1550	650
28,2,229,008,00	CARG-229	2750/1180/1165	650
28,2,236,000,00	CARG-236	3250/1180/1755	1000
28,2,240,008,00	CARG-240	3600/1400/1800	1000
28,2,270,008,00	CARG-270	4150/1550/2100	1600
28,2,275,008,00	CARG-275	4500/1850/2400	1600



High capacity
24 Hours Autonomy

CODE	CAPACITY LITRES	DIMENSIONS L / W / H	WEIGHT KG
AUXILIARY TANK DIESEL			
38223505	400	755 / 700 / 1128	48
38223508	620	750 / 700 / 1615	62
38223512	1.000	1290 / 760 / 1490	89
38223515	1.500	1658 / 762 / 1933	150



CODE	MODELS	
FUEL FILTER DECANTING		
FLPL270-01	10 a 250 Kva	MODEL 270
FLPL270-05	250 a 600 Kva	MODEL 500



FILTER DECANTING

CODE	DESCRIPTION
ACCESSORIES	
38223610	FUEL PUMP AUTOMATIC FILL UP
38223615	ELECTRIC PUMP, SOLENOID, LEVEL SENSOR
38003880	THREE WAYS VALVE DOUBLE TANK




TRANSFER PUMP



VALVE 3 WAYS

CODE	POWER KVA	POWER H.P.	INTERIOR DIAMETER	R.R.P. (€) 24 DBA	CODE	R.R.P. (€) 35 DBA
EXHAUST ATTENUATION				INDUSTRIAL	RESIDENTIAL	
			mm			
45980104501	7 - 28	50 / 65	45		28,220500500	
45980105001	25 - 30	60 / 75	50		28,222900300	
45980105501	40 - 60	70 / 85	55		28,221000500	
45980106001	60 - 70	85 / 120	60		28,222900300	
45980106501	70 - 95	110 / 130	65		28,222900300	
45980107001	80 - 100	130 / 150	70		28,223900300	
45980108001	110 - 130	150 / 190	80		28,223900300	
45980108901	140 - 180	190 / 240	89		28,223600300	
45980110201	170 - 220	230 / 280	102		28,223600300	
45980111401	225 - 300	300 / 380	114		28,224000400	
45980112101	350 - 450	360 / 440	121		28,227000400	
45980113001	525 - 620	420 / 510	130		28,227500400	



FLEXIBLE EXHAUST

CODE	DIAMETER IN / EXT	R.R.P..	CODE	DIAMETER INT / EXT
	mm	EUR		mm
45931515	25 / 30		45931525	76 / 81
45931516	30 / 35	48	45931526	80 / 85
45931517	35 / 40	14	45931527	85 / 90
45931518	40 / 45	15	45931528	89 / 94
45931519	45 / 50	16	45931529	102 / 107
45931520	50 / 55	18	45931530	110 / 115
45931521	55 / 60	19	45931531	114 / 119
45931522	60 / 65	18	45931532	121 / 126
45931523	65 / 70	20	45931533	130 / 135
45931524	70 / 75	21		

EXHAUST CLAMP

CODE	DIAMETER INTERIOR	R.R.P..	CODE	DIAMETER INSIDE
	mm	EUR		mm
45931015	35 - 37	5	45931027	69 - 71
45931016	38 - 39	5	45931028	71 - 75
45931017	40 - 42	5	45931029	76 - 79
45931018	43 - 44	5	45931030	80 - 85
45931019	45 - 47	5	45931031	86 - 88
45931020	48 - 50	5	45931032	89 - 91
45931021	51 - 53	5,1	45931033	92 - 97
45931022	54 - 56	5,1	45931034	98 - 105
45931023	57 - 59	5,1	45931035	106 - 109
45931024	60 - 62	5,7	45931036	110 - 117
45931025	63 - 65	5,7	45931037	118 - 124
45931026	66 - 68	5,5	45931038	125 - 127




RAIN PROTECTED COVER

CODE	DIAMETRO INTERIOR	CODE	DIAMETRO INTERIOR
	COVER mm		COVER mm
45931720	40	45931730	80
45931721	42	45931731	85
45931722	45	45931732	89
45931723	48	45931733	100
45931724	50	45931740	102
45931725	55	45931743	110
45931726	60	45931753	114
45931727	65	45931758	121
45931728	70	45931768	130
45931729	76		

FLAT EXHAUST CLAMP

CODE	DIAMETER INTERIOR	CODE	DIAMETER INSIDE
	mm		mm
49531118	43 - 45	49531131	73 - 76
49531119	46 - 47	49531132	83 - 85
49531120	48 - 50	49531133	86 - 89
49531121	51 - 52	49531134	92 - 94
49531122	53	49531135	95 - 98
49531123	54 - 55	49531136	105 - 108
49531124	56 - 57	49531137	109 - 112
49531125	58 - 60	49531138	117 - 120
49531126	61 - 62	49531139	121 - 123
49531127	63 - 65	49531140	124 - 127
49531128	66 - 67	49531141	128 - 131
49531129	68 - 69	49531142	133 - 136
49531130	70 - 72	49531143	137 - 140

CODE	MODEL	PLUGS					
		SHUCKO 2P+T	1 X 16 A 2P + T	1 X 16 A 3P + N + T	1 X 32 A 3P + T	1 X 32 A 3P +N + T	1 X 63 A 3P +N + T
SOCKET PANELS SOUNDPROOF GENSETS							
----	SERIE CTW	1 Unit		1 Unit			
823510	CTM-20-30	1 Unit	1 Unit	1 Unit	1 Unit	1 Unit	
823515	CTM-40-100	1 Unit	1 Unit	1 Unit	1 Unit	1 Unit	1 Unit
823518	CTM-105-150	1 Unit	1 Unit	1 Unit	1 Unit	1 Unit	1 Unit
823522	CTV-200-250	1 Unit	1 Unit	1 Unit	1 Unit	1 Unit	1 Unit



ATS FOR AMF THREE PHASE

CODE	AMP	KVA 3PH 3 x 400v	KVA 3PH 3 x 230v
82770110	25	17	10
82770112	32	22	13
82770115	45	31	18
82770120	55	38	22
82770125	100	69	40
82770130	125	86,5	50
82770135	160	110	64
82770140	200	138	80
82770145	250	173	100
82770150	315	218	125
82770155	400	277	159
82770160	630	436	251
82770163	800	554	318
82770165	1000	692	398
82770168	1250	865	498

ATS FOR AMF SINGLEPHASE

CODE	AMP	KVA MONO 1 x 230v
82770210	50	11,5
82770212	64	14,7
82770215	90	20,7
82770220	110	25,3
82770225	200	46
82770230	250	57,5
82770235	320	73,6
82770240	400	92
82770245	500	115
82770250	630	145

CONTROL PANEL AMF + ATS FOR MANUAL START GENSETS

CODE	AMP	KVA 3PH 3 x 400v	KVA 3PH 3 x 230v
82770310	25	17	10
82770312	32	22	13
82770315	45	31	18
82770320	55	38	22
82770325	100	69	40
82770330	125	86,5	50
82770335	160	110	64
82770340	200	138	80
82770345	250	173	100
82770350	315	218	125
82770355	400	277	159
82770360	630	436	251
82770363	800	554	318
82770365	1000	692	398
82770368	1250	865	498



CODE	DESCRIPTION
ACCESSORIES	
82789010	KIT PARALELO CON RED HASTA 1250 Kva
82789015	KIT PARALELO ENTRE GRUPOS HASTA 1250 Kva

Kva - 400 V	KOHLER	DEUTZ	MWM	FPT	DOOSAN
ENGINE ELECTRONIC REGULATION					
42 Kva	66859425	66859430	66859410	66856420	
					N.A.
42 - 70 Kva	66859425	66859430	66856425	66856420	
					N.A.
70 - 85 Kva		66856435	66856425	66856420	
					N.A.
90 - 145 Kva			66856425	66859420	
	N.D.	N.N.			N.N
150 - 190 Kva		66856435	66856425	66859420	
	N.D.				N.N
> 190 Kva	N.N.	N.N	N.N	N.N	N.N



NA: NOT AVAILABLE
NN: NOT NECESSARY

REFERENCE	AMP.	R.R.P.. €
4 POLES CONTACTOR - 400V 50Hz		
82789105	25 A	213
82789108	32 A	225
82789112	45 A	234
82789115	55 A	278
82789125	100 A	372
82789128	125 A	442
82789132	200 A	903
82789136	275 A	990
82789140	350 A	1.510
82789145	400 A	1.575
82789150	500 A	1.984
82789155	525 A	2.250
82789160	800 A	2.979
82789165	1000 A	3.979

REFERENCE	AMP.	R.R.P.. €
MOTORIZED 4 POLES CONTACTOR - 400V 50Hz		
82789223	80 A	CONSULT US
82789225	100 A	CONSULT US
82789228	125 A	CONSULT US
82789230	160 A	CONSULT US
82789232	200 A	CONSULT US
82789234	250 A	CONSULT US
82789239	320 A	CONSULT US
82789245	400 A	CONSULT US
82789257	630 A	CONSULT US
82789260	800 A	CONSULT US
82789265	1000 A	CONSULT US
82789270	1250 A	CONSULT US



MOUNTED INSIDE GENERATOR BOX.
REST IN SEPARATE METAL BOX WITHOUT POWER WIRING

CODE	POWER KVA	TENSION	R.P.M
UPGRADING FROM COMPOUND TO AVR ALTERNATOR			
82399010	5 - 12	220 V	3.000
82399015	7 - 15	400 V	3.000
82399020	7	400 V - 3PH	1.500
82399030	10	400 V - 3PH	1.500
82399032	16	400 V - 3PH	1.500
82399035	20	400 V - 3PH	1.500
82399050	7	220 V - MONO	1.500
82399054	10	220 V - MONO	1.500



CODE	POWER KVA
ANTI CONDENSATION HEATER	
82399060	30 ----- 600
820030	SPECIAL TREATMENT



Kva - 400 V	RS232 / 485	GSM	ETHERNET	8 OUTPUTS
MANUAL PANEL				
6 - 13 Kva	82789305	82789320	82789330	82789340
16 - 40 Kva	8279310	82789323	82789333	82789343
50 - 220 Kva	82789313	82789325	82789335	82789345
> 2220 Kva	82617008	82611796 82611797	82617015	82611790



MÓDULO LECTURA REMOTA

Kva - 400 V	RS232 / 485	GSM	ETHERNET	8 OUTPUTS
AUTOMATIC PANEL				
6 - 220 Kva	82789413	82789425	82789435	82789445
> 220 Kva	82617008	82611796 82611797	82617015	82611790



RS-232



RS-232/485

CODE	ACCESSORIES GENSETS PETROL	
823040	KIT HIGH CAPACITY FUEL TANK	
823305	KIT MANUAL REMOTE CONTROL WITH PUSH BUTTONS FOR 7 KVA	
823306	KIT MANUAL REMOTE CONTROL WITH PUSH BUTTONS FOR 10 AND 15 KVA	
82330801	REMOTE CONTROL START/STOP KIT BY FREE CONTACT WITH CONTACTOR TO THE CONNECTION	SINGLEPHASE
82330802	AND COMPLET PANEL	THREEPHSE
823108	KIT FOR GAS FEEDING	

CODE	WELDING ACCESSORIES
45190	SOLDER WIRE 25 MM (PER METER)
45191	SOLDER WIRE 35 MM (PER METER)
36710	ELECTRODE HOLDER PIN
36715	WELDING MASS
62646	WELDING MASK

CODE	WELDING ACCESSORIES	SECTION CABLE
82566	PLUG AFTER TOP	10 - 25 mm
82569	PLUG AFTER TOP	35 - 50 mm
82567	AERIAL PLUG MALE	10 - 25 mm
85570	AERIAL PLUG MALE	35 - 50 mm
82568	AERIAL PLUG FEMALE	10 - 25 mm
82571	AERIAL PLUG FEMALE	35 - 50 mm

CODE	CLOCK KITS
82177	ANALOGIC CLOCK MOUNTED
82176	DIGITAL COLOCK MOUNTED

CODE	POLES	AMP
ELECTRIC PLUGS		
82210	2 P 250V -IP44	16 A
82211	2 P + T 250V -IP44	16 A
82212	2 P + T 250V -IP44	32 A
82213	2 P + T 250V -IP44	63 A
82214	3 P + T 400V -IP44	16 A
82215	3 P + T 400V -IP44	32 A
82216	3 P + T 400V -IP63	63 A
82217	4 P + T 400V -IP44	16 A
82218	4 P + T 400V -IP44	32 A
82219	4 P + T 400V -IP63	63 A





ENGINE
SH-265
CH-270
CH-395
CH-440
CH-620
CH-730



ENGINE
AIR
15LD350
15LD440
15LD500
25LD330.2
25LD425.2
12LD477.2
9LD625.2
11LD626.3

ENGINE
WATER
LDW-702
LDW-1003
LDW-1404
LDW-1603
LDW-2204
LDW-2204/T
KDI-1903
KDI-2504



ENGINE
D-229.3 6.10-TCA
D-229.4 4,8 - P
D-229.6 7,2 - P
TD-229.6 EC
4.10-NA
4.10-T
4.10-TCA
6.10-T




ENGINE
F32AM1A NEF67SM1
F32SM1A NEF67 TM2A
F32TM1A NEF67TM3A
NEF45AM1A NEF67TE2A
NEF45SM1A CURSOR87TE1
NEF45SM2A CURSOR10TE1
NEF45TM1A CURSOR13TE2
NEF45TM2A CURSOR13TE3



ENGINE
F2L2011 BF4M2011 C TCD2013L064V
F3L2011 BF4M2012 C BF6M1015 C
F4L2011 BF4M1013 E BF6M1015 C2
BF4L2011 BF4M1013 EC BF6M1015 CP
F2M2011 BF4M1013 FC BF8M1015 C
F3M2011 BF6M1013 EC BF8M1015 C2
F4M2011 BF6M1013 FCP BF8M1015 CP
BF4M2011 BF6M1013 FCP2

CAROD NETWORK

WWW.CAROD.ES



Always available on the web: we offer news, updated information about our PRODUCTS, Technical sheets, manuals and catalogs prepared to be downloaded or sent by email.

OTHER PRODUCTS

MOTOBOMBAS



COMPRESORES



HIDROLIMPIEZA ALTA PRESION



CALENTADORES



MWM ENGINES Y RECAMBIOS



GENERAL CATALOGUE | ACCESSORIES

GENERATOR SETS

ACCESSORIES AND MAINTENANCE KITS



CAROD
Pol. Ind. PITARCO II Parc. N°23
50450 MUEL (Zaragoza)
Spain

+34 976 140 800
+34 976 140 888
export@carod.es
www.carod.es